

Safety Data Sheet



1. Identification of the Substance/Mixture and the Supplier

Supplier : National Institute of Advanced Industrial Science and Technology

(AIST)

Address : 1-3-1 Kasumigaseki, Chiyoda, Tokyo, Japan

Department : Reference Material Office, Center for Quality Management of

Metrology, The National Metrology Institute of Japan

Person in Charge : Certified Reference Material Staff

Telephone No. : +81-29-861-4059 Fax No. : +81-29-861-4009

Emergency Contact : Same as above

Prepared on : April 10, 2014 Revised on : August 31, 2022

ID Number : 5712001

Identity of : Reference material: NMIJ RM 5712-a

Substance/Mixture Titanium(IV) Oxide Nanoparticles (specific surface area 57 m²/g,

small particle size, surface modified with fatty acid)

Recommended Use of the Chemical and

Restriction on Use

This reference material can be used for quality control of specific surface area determination (BET multipoint method, 77 K nitrogen adsorption). Do not use this reference material for other purposes

than testing/research.

This CRM is a reference material (specified in the Japanese

Industrial Standard (JIS) Q 0030).

2. Hazards Identification

GHS Classification : No classification

GHS Label Element : - Signal Word : -

Other Hazards : Dust may get in eyes.

Statement

Precautionary : [Precaution]

Statement See "7. Handling and Storage Precautions."

[Action]

Get medical advice/attention if feeling unwell.

If exposed or concerned: Get medical advice/attention.

[Storage]

See "7. Handling and Storage Precautions."

[Disposal]

Avoid release to the environment. Dispose of this reference

material/containers in accordance with regional/national legislation.

The other hazards than the above do not result in classification or

are not classifiable.

NMIJ RM 5712-a 1/8



3. Composition/Information on Ingredients

Substance/Mixture : Mixture

Ingredient 1

Chemical name : Titanium(IV) Oxide

Chemical or structural : TiO₂

formula

 Molecular weight
 : 79.86

 CAS number
 : 13463-67-7

 Content
 : 73-83 %

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation of

Gazetted List in Japan Their Manufacture, etc. : (1)-558

Industrial Safety and Health Act : 2-3-509

Ingredient 2

Chemical name : Aluminum Hydroxide

Chemical or structural : AlO₃H₃

formula

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation of

Gazetted List in Japan Their Manufacture, etc. : (1)-17

Industrial Safety and Health Act : Published

Ingredient 3

 $\begin{array}{lll} Chemical \ name & \vdots & Stearic \ Acid \\ Chemical \ or \ structural & \vdots & C_{18}H_{36}O_2 \end{array}$

formula

 Molecular weight
 : 284.48

 CAS number
 : 57-11-4

 Content
 : 5-15%

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation of

Gazetted List in Japan Their Manufacture, etc. :(2)-608

Industrial Safety and Health Act : Published

This reference material is a nano-object, one of whose three dimensions to indicate its size is at least 1 nm to 100 nm, or a nanostructured material composed of nano-objects.

4. First-aid Measures

General Measures Get medical advice/attention if feeling unwell.

If exposed or concerned: Get medical advice/attention.

If inhaled : Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a doctor/physician if feeling unwell.

If on skin : Gently wash with soap and plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

NMIJ RM 5712-a 2/8



If in eyes : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

If swallowed : Rinse mouth. Call a doctor/physician if feeling unwell.

Expected Acute and

: Skin, Flare in eyes

Delayed Symptom

Most Critical :

Characteristic and

Symptom

Protection of First-

Aid Responder

: -

5. Fire-fighting Measures

Extinguishing Media : Use extinguishing media appropriate for surrounding facilities.

This reference material itself does not burn.

6. Accidental Release Measures

Personal Precaution : Wear appropriate personal protective equipment.

Personal Protective Equipment and

Emergency Procedures

Environmental : Avoid release to the environment. Prevent dust from scattering.

Precautions

Recovery and : Recover spillage by collecting it or wiping it out with wiping

Neutralization Prevention of cloth, etc.Collect and recover spillage.

Secondary Disaster

7. Handling and Storage

Handling

Engineering Precautions

Protect those
 bandling this
 Do not breathe dust/smoke/gas/mist/vapor/spray.
 Use specified personal protective equipment.

reference

material from

exposure

Precautions : Prevent this reference material from getting in eyes.

Precautions for Safe

Handling

: Do not handle until all safety precautions have been read and

understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/clothing and eye/face protection.

Wash hands and contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this reference material.

NMIJ RM 5712-a 3/8



Storage

Conditions

Appropriate Storage: Protect from direct sunlight. Store at temperature of 5 °C to

35 °C. Store in a well-ventilated area. Keep container tightly

closed.

Do not pile up high.

Safe Container

: Use containers which can be tightly closed.

Packaging Material

8. Exposure Controls/Personal Protection

Threshold Limit Value

Not specified

Permissible Concentration (Titanium(IV) oxide)

· ACGIH TWA TWA 10 mg/m³ · Value recommended by Japan Class 2 Dust

Society for Occupational Health 1 mg/m³ (Respirable fraction)

4 mg/m³ (Total dust)

Permissible Concentration (BN)

· ACGIH TLV(s) : Not specified · Value recommended by Japan : Not specified

Society for Occupational Health

· OSHA PEL : Not specified

Engineering Controls

Ventilation/Exhaust : Local ventilation system or General ventilation system

Eye Washing Install eye washer

Install facilities to wash hands/face Hand Washing

Personal Protective Equipment (PPE)

Respiratory System : Respiratory protection Hands : Protective gloves

Eyes : Eye protector/Face protection

Skin and Body : Protective clothing

Hygiene Controls

Wash contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this reference material. Wash hands after handling.

9. Physical and Chemical Properties

· Appearance, etc. Solid (Powder and granular material)

· Color White \cdot Odor Odorless • pH No data

1820 °C to 1850 °C Melting point

· Boiling point No data : No data · Flashing point Explosive range No data · Vapor pressure No data · Relative vapor No data

NMIJ RM 5712-a 4/8



density(Air=1)

• Specific gravity or bulk : 3.5 g/cm³ to 4.2 g/cm³

specific gravity

SolubilityInsolublen-Octanol/water partitionNo data

coefficient (Log Po/w)

· Auto-ignition temperature : No data

10. Stability and Reactivity

♦Stability

· Stable

Not cause any dangerous decomposition reactions or polymerization runaway reactions

♦Reactivity

.

♦ Conditions to Avoid

•

♦ Hazardous Decomposition Products

•

11. Toxicological Information

Acute Toxicity (Titanium(IV) Oxide)

Oral Rat LD50 > 20000 mg/kg

Dermal Rabbit approx LD50 > 10000 mg/kg (IUCLID (2000)) Dust/mist inhalation Rat LC > 6.82 mg/L/4h (IUCLID (2000))

Serious Eye Damage/

(Titanium(IV) Oxide)

Eye Irritation

In one test using rabbits, mild irritation was reported. In another test in which eyes were rinsed five minutes after this reference material is applied, no irritation was reported (IUCLID

(2000)). Not classifiable, based on the above results.

Skin Corrosion/

(Titanium(IV) Oxide)

Irritation

In the test using rabbits, mild irritation was reported when 0.5 g of this reference material was applied for 24 hours and no irritation was reported when 0.1 g of this reference material was

applied for 24 hours (IUCLID (2000)).

(Stearic Acid)

Rabbit 500 mg/24hours: Moderate

Respiratory (Titanium(IV) Oxide)
Sensitization No data available
Skin Sensitization (Titanium(IV) Oxide)

In the skin sensitization test (Maurer optimization test) using guinea pigs, no skin sensitization was reported (IUCLID (2000)). In the 48-hour patch test participated by 290 dermatitis patients, no one was found positive and no evidence of skin sensitization was obtained (IUCLID (2000)). Not classifiable as both of the

NMIJ RM 5712-a 5/8



above tests are List 2 data and tests using guinea pigs are not included in the recommended tests for classification.

Germ Cell Mutagenicity

(Titanium(IV) Oxide)

No classification since negative results were reported in the bone marrow cell micronucleus test and the chromosome abnormality test both in which this reference material was administered to mice through abdominal cavity.

Carcinogenicity

(Titanium(IV) Oxide)

Classified Group 2B by IARC. In the inhalation exposure test using rats, mice and hamsters, however, tumor incidence was observed only in the case of high-dose administration to rats. In addition, since rats indicate similar tendencies for other hardly-insoluble inactive particles, the tumor incidence is considered to be attributed to rat-specific immune system. In the epidemiological studies for humans carried out in Europe and North America, no cause-and-effect relationship was observed between titanium oxide and carcinogenicity. Not classifiable,

based on the above.

Reproductive Toxicity

(Titanium(IV) Oxide)
No data available
(Titanium(IV) Oxide)

Toxicity to Respiratory Organ (Aspiration) Specific Target Organ

No data available (Titanium(IV) Oxide)

Toxicity/Systemic

Toxicity

Single Exposure: In the oral administration test using rats, fatal dose was found to be 20000 mg/kg or more. For humans, intake of this reference material is considered practically non-toxic. No

of this reference material is considered practically non-toxic. No classification as to oral administration. Not classifiable for other

routes of entry, however, due to lack of sufficient data.

Repeated Exposure: In all tests using rats and mice, no effects attributed to exposure to this reference material were reported at dose of 1250 mg/kg/day which was above the upper limit of the guidance values. For a small number of workers who have been exposed to this reference material in their work for 20 years or more, symptoms of pneumoconiosis were observed. In the majority of the numerous epidemiological studies which aimed at finding out whether titanium oxide caused lung fibrosis, no cause-and-effect relationship was reported. No solid evidence indicating the link between titanium oxide and lung fibrosis has been obtained. In the two-year-long inhalation exposure test using rats, no significant effects were observed even if the concentration was set above the upper limit of the guidance values: 250 mg/m³ (Dust: 5 days/week and 6 hours/day). Meanwhile no data is available for dermal exposure. Not classifiable, based on the above.

NMIJ RM 5712-a 6/8



12. Ecological Information

Ecotoxicity Toxicity to Aquatic Life (Acute): Not classifiable due to lack of

sufficient data (Titanium(IV) oxide)

Toxicity to Aquatic Life (Chronic): Not classifiable since acute toxicity is not reported for the range of concentration up to water

solubility

Solubility in water:

(Titanium(IV) oxide) Insoluble (HSDB (2004)) (Aluminum hydroxide) Insoluble (ICSC (1998))

(Stearic acid)

Insoluble (ICSC, 1997)

Persistence and Degradability

· No data available.

Bioaccumulative Potential

· No data available

Mobility in Soil

· No data available

13. Disposal Considerations

Residual Waste : Avoid release to the environment. Dispose of this reference

material/containers in accordance with regional/national

legislation

Contaminated

Container and

Package

Dispose of containers after thoroughly emptying them.

14. Transport Information

UN Number : Not applicable

UN : -

Classification

Shipping Name : — Packing Group : — Marine : —

Pollutant

Precautions : This reference material does not fall under the category of dangerous

goods.

Keep this reference material dry. Transport this reference material

while keeping it away from direct sunlight and rain.

15. Regulatory Information

♦ Industrial Safety and Health Law

• Article 57-2 (Enforcement Order: Article 18) Hazardous substance whose name, etc. must be labeled: Titanium(IV) oxide

NMIJ RM 5712-a 7/8



- Article 57-2 (Enforcement Order: Article 18-2) Hazardous substance whose name, etc. must be notified: No.191.
- ◇Pneumoconiosis Act (Titanium(IV) oxide)
 - · Article 2, Enforcement Order: Article 2, Appendix "Work in Dusty Environment"
- ♦ Information on Applicable Legislation
 - · Act for the Prevention of Marine Pollution and Maritime Disasters
 - · Hazardous Liquid Substance (Class Z): Titanium(IV) oxide
 - · Hazardous Liquid Substance (Class Y): Stearic acid

16. Other Information

Others

The information in this document is not intended to be exhaustive and is based on currently available information and data. The measures given in this document are applicable only to normal handling conditions. When handling this reference material under special conditions etc., it is recommended to take safety measures appropriate to each specific application and context of use. This document is intended to provide information and not intended to guarantee anything in handling this reference material.

NMIJ RM 5712-a 8/8