

Safety Data Sheet



1. Identification of the Substance/Mixture and the Supplier

Supplier : National Institute of Advanced Industrial Science and Technology

(AIST)

Address : 1-3-1 Kasumigaseki, Chiyoda, Tokyo, Japan

Office in Charge : Reference Materials Office, Center for Quality Management of

Metrology, National Metrology Institute of Japan

Person in Charge : Certified Reference Material Staff

Telephone No. : +81-29-861-4059 Fax No. : +81-29-861-4009

Emergency Contact : Same as above

Prepared on : May 17, 2010 Revised on : August 31, 2022

ID Number : 6008001

Identity of : Certified reference material NMIJ CRM 6008-a

Substance/Mixture Uric acid

Recommended applications and limitations of use

: This reference material may be used for calibration of analysis equipment and evaluation of analytical reagents for determining the quantity of uric acid, as well as for precision management of analysis equipment and validation of analytical methods and instruments. Do not use this reference material for other purposes

than testing/research.

This CRM is a reference material (specified in the Japanese

Industrial Standard (JIS) Q 0030).

2. Hazards Identification

GHS classification : Classification not possible

GHS-labeling :

Element

Signal word : Hazard and toxicity:

Information

Other toxicity : Harmful when inhaled or ingested. Contact with the eyes or mucous

information membranes may cause irritation. Prolonged exposure may cause

symptoms such as discomfort, nausea, or headaches.

Cautionary : [Safety measures]

statement Wear protective glasses, protective clothing, and personal protective

equipment.

Do not inhale dust. Avoid exposure.

[Emergency measures]

Inhalation: Remove the exposed person to fresh air, gargle with fresh water. Provide them medical attention in the presence of symptoms

NMIJ CRM 6008-a 1/6



suggesting.

Skin contact: Wash with plenty of water and soap. Seek medical

attention if necessary.

Eye contact: Flush thoroughly with plenty of clean water. Seek

medical attention in the presence of symptoms.

Ingestion: Induce vomiting by giving water or salted water. Get

medical attention in case of abnormalities.

[Storage]

Keep out of sunlight in a clean desiccator at room temperature

(approximately 15 °C to 25 °C).

[Disposal]

Follow the related regulations and ordinances of the local

government.

Use a waste-treatment firm certified by prefectural governor. Classification is impossible or not applicable for hazards not

mentioned above.

3. Composition/Information on Ingredients

Substance or mixture : Single substance

Chemical name : Uric acid

Synonyms : 7,9-Dihydro-1H-purine-2,6,8(3H)-trione

Content : 99.6 % (kg/kg) Chemical or structural : $C_5H_4N_4O_3$

formula

Molecular weight : 168.11

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation of

Gazetted List in Japan Their Manufacture, etc. :-(9)-963

Industrial Safety and Health Act : Published

CAS number : 69-93-2

4. First-aid Measures

Eye contact : Flush immediately with plenty of clean water. Seek medical

attention in the case of presence of symptoms suggesting.

Skin contact : Wash with plenty of fresh water and soap. Seek medical attention

in the case of inflammation.

Inhalation : Seek fresh air and rinse the mouth well with fresh water. Contact a

physician in the case of presence of symptoms.

Ingestion : Induce vomiting by giving plenty of water or salted water. Seek

medical attention in case of abnormalities.

Estimated acute

and late symptom

Most important

: -

symptoms and

effects

NMIJ CRM 6008-a 2/6



Protection of first-

aiders

: Use personal protective equipment.

5. Fire-fighting Measures

Extinguishing media : Use extinguishing media for peripheral fires. In case of peripheral

fire, use water; dry extinguishing agents, bubble extinguisher,

carbon dioxide extinguisher, or dry sand.

Specific hazards with

regard to firefighting

Irritant or toxic fume (or gas) may be generated in the event of

fire. Wear appropriate protective equipment to prevent the

inhalation.

Specific methods of

firefighting

: Eliminate the origin of fire and put the fire out with extinguishing media. If possible, move containers to a safe place. If not, cool the

peripheral areas with water spray.

Protection for firefighters

: Work from the windward side to prevent the inhalation of toxic gas. Use respirator and circulating oxygen breathing apparatus if

necessary.

6. Accidental Release Measures

Personal precautions : Promptly remove all potential ignition sources from peripheral

areas. In case of ignition, prepare the equipment for firefighting.

and emergency

measures

Protective equipment : When accidental release takes place indoors, thoroughly clear the

air until the emergency measures are complete. Before the operation, wear appropriate protective equipment to protect the

skin from droplets and to prevent inhalation of dust and gas.

Environmental

precautions

: Prevent the environment from being contaminated by the spilled products or material discharged to rivers, etc. Contaminated waste water must be treated appropriately before discharging.

Recovery and neutralization

Prevention of second

accident

: Recover the leakage in an empty container and clean the contaminated area with waste cloth, scrubbing cloth, etc.

: Rope off the leakage area and prohibit unauthorized persons' entrance. Work on the windward and evacuate people on the

leeward.

7. Handling and Storage

Handling

Technical measures : None

Local ventilation

and general ventilation

: In case steam or mist is generated, seal the source and provide

local exhaust ventilation.

Precautions for safe

handling

: Avoid rough handling such as dropping, shocking, dragging, or

otherwise agitating the container.

Do not cause the substance to leak or overflow, and prevent

steam from being generated.

NMIJ CRM 6008-a 3/6



Seal the container after use.

Wash hands, face, and other necessary parts thoroughly, and gargle after handling.

Do not eat, drink, or smoke in places other than the designated areas. Do not bring gloves and other contaminated protective equipment into the break area.

Only authorized people are allowed in the handling area.

Wear appropriate protective equipment to prevent inhalation, or

contact with eyes, skin, or clothing.

When handling indoors, provide local exhaust ventilation.

Storage

Appropriate storage

conditions

: Keep out of sunlight in a clean desiccator at room temperature

(approximately 15 °C to 25 °C).

Safe packaging

materials

: Glass

8. Exposure Controls/Personal Protection

Standard control concentration

N/A

Threshold limit values

ACGIH TLV-TWA : N/AValue recommended : N/A

by Japanese Society of Occupational Health

· OSHA PEL TWA : N/A

Engineering controls

Ventilation and

emission

: In case of closed environment seal up the source and install

local exhaust equipment.

Install eye washer and shower facility close to the handling area and indicate the facility conspicuously with signage.

Safety management and

gas detection

Storage precautions : Keep out of sunlight in a clean desiccator at room

temperature (approximately 15 °C to 25 °C).

Protective Equipment

Respiratory protection : Dust protective masks
Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body : Long sleev

protection

: Long sleeved protective clothing, protective boots

9. Physical and Chemical Properties

Appearance, etc.ColorOdorPowderWhiteNo data

NMIJ CRM 6008-a 4/6



• pH : No data

• Melting point : Decomposes above 400 °C

Boiling point
Flashing point
Explosive range
Vapor pressure
No data
No data
No data
Relative vapor
No data

density(Air=1)

• Specific gravity or bulk : 1.89

specific gravity

Solubilityn-Octanol/water partitionNo data

coefficient (Log Po/w)

· Auto-ignition temperature : No data

10. Stability and Reactivity

- **♦**Stability
 - · Stable under normal conditions
- ♦Reactivity
 - · Reacts with strong oxidizing materials and ignites
- ♦ Conditions to avoid
 - · Sunlight and heat
- ♦ Hazardous decomposition products
 - · Carbon monoxide, nitrogen oxides

11. Toxicological Information

No data

12. Ecological Information

Degradability/Concentration

· No data

Bioaccumulation

· No data

Ecotoxicity

· No data

13. Disposal Considerations

Residues : Incineration

Incinerate in the incinerator with a scrubber system.

Dispose the contents and container in accordance with related regulations and ordinances of the local government. If disposal according to the above method is not possible, use a waste-

treatment firm certified by prefectural governor.

Contaminated : To dispose of an empty container, completely remove the contents.

NMIJ CRM 6008-a 5/6



containers and packaging

14. Transport Information

UN Dangerous

: Not applicable

Goods Number

UN : Not applicable

Classification

Product name Packing group ICAO/IATA

: Not applicable Marine

pollutant

Matters to be : Avoid direct sunlight. Prevent leakage and fire caused by dropping, attended to

shock or agitation to the container, and transport with caution.

15. Regulatory Information

· No applicable laws and regulations

16. Other Information

Others

The information in this document is not intended to be exhaustive and is based on currently available information and data. The measures given in this document are applicable only to normal handling conditions. When handling this reference material under special conditions etc., it is recommended to take safety measures appropriate to each specific application and context of use. This document is intended to provide information and not intended to guarantee anything in handling this reference material.

NMIJ CRM 6008-a 6/6