

Safety Data Sheet



1. Identification of the Substance/Mixture and the Supplier

Supplier : National Institute of Advanced Industrial Science and Technology

(AIST)

: 1-3-1 Kasumigaseki, Chiyoda, Tokyo, Japan Address

Office in Charge : Reference Materials Office, Center for Quality Management of

Metrology, National Metrology Institute of Japan (NMIJ)

Person in Charge : Person in Charge of Certified Reference Materials

Telephone No. : +81-29-861-4059 Fax No. : +81-29-861-4009

Emergency Contact : Same as above

> Prepared on : January 21, 2010 Revised on : August 31, 2022

Reference No. : 6013001

Identity of : Certified Reference Material NMIJ CRM 6013-a

Substance/Mixture

L-Isoleucine Recommended Use

of the Chemical and Restriction on Use

: This reference material can be used, in amino acid analysis, for preparation of standard solution, calibration of analysis equipment and validation of analysis method/equipment. Do not use this

reference material for other purposes than testing/research.

This CRM is a reference material (specified in the Japanese

Industrial Standard (JIS) Q 0030).

2. Hazards Identification

GHS Classification : Not classifiable

GHS Label element Signal word Hazard communication:

Other hazard One of the essential amino acids very low in toxicity, but harmful if

inhaled or ingested in large quantity. Irritates eye, respiratory communication

tract and mucous membrane.

[Preventive Measures] Precautionary

statement: Use appropriate protective equipment to prevent the inhalation

and contact with eye, skin or clothing

[Response]

If inhaled: Remove from area of exposure and get some fresh

air. Keep warm with a blanket and keep one at rest.

Get medical treatment.

If on skin: Wash with soap and plenty of water. If necessary,

get medical assistance

If in eye: Immediately flash with plenty of clean water and

get medical treatment

If swallowed: Induce vomit by drinking water or salt solution, get

NMIJ CRM 6013-a 1/6



medical assistance if there is any abnormal condition

[Storage]

Store in a clean desiccator at room temperature (about 15 °C to 25 °C) protected from light.

[Disposal]

Commission waste disposal to a specialized industrial waste disposal contractor licensed by the prefectural governor.

Hazardous and toxic properties not specified in the above are not subject to the classification or not classifiable.

3. Composition/Information on Ingredients

Single or compound : Single product

product

Chemical Ingredient : L-Isoleucine

Name

Other name : (2S, 3S)-2-amino-3-metylpentane acid

Content : 99.7 %

Chemical formula or : C₂H₅CH(CH₃)CH(NH₂)COOH

structural formula

Molecular Weight : 131.17

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation

Gazetted List in Japan of Their Manufacture, etc. : (9)-1560

Industrial Safety and Health Act : 2-(4)-599, 2-(4)-611

CAS No. : 73-32-5

4. First-aid Measures

If in eyes : Rinse with plenty of clean water, get medical assistance

If on skin : Wash with soap and plenty of water, if necessary, get medical

assistance

If inhaled : Remove from area of exposure and get some fresh air. Keep warm

and keep one at rest. Get medical assistance

If swallowed : Drink a lot of water and induce vomit, get medical treatment if

there is any abnormal condition

Measures to be

taken to protect the person applying

first aid

: Use personal protective equipment.

5. Fire-fighting Measures

Extinguishing media : Water, powder, carbon dioxide, foam, dry sand

Specific hazards at the : May generate irritating or toxic gas.

time of fire

Specific extinguishing : Immediately remove combustible or ignitable materials from

NMIJ CRM 6013-a 2/6



measures near the fire and start extinguishing with extinguishing agent,

promptly transfer movable container to a safe place, if impossible to move, cool the periphery of the container with

water spray.

Protecting fire- fighting

personnel

: Fire extinguishing activities from the windward and avoid inhaling toxic gas. Use personal protective equipment such as fire-safe clothing, air breathing apparatus, etc. as the situation

demands.

6. Accidental Release Measures

Personal precaution Protective equipment : If indoor, ventilate well until the treating process is completed properly.

and emergency procedures

Wear appropriate protective equipment to protect the skin from spattering droplets, etc. and prevent inhaling dust/particulate or

gas.

Environmental precautions

: To prevent causing environmental impact, do not release the product into rivers, etc. through drainage. Before discharging contaminated waste water, treat the waste water properly.

Collection, neutralization

: Collect the leakage in a container. Wash down the leaked area

with plenty of water.

Rope in the leakage area and prohibit the entrance of

Secondary disaster prevention

unauthorized persons. Work at windward and evacuate the

people in leeward.

7. Handling and Storage

Handlings

- Avoid contact with strong oxidizer
- · Avoid unnecessary dust generation causing leakage, spillage, scattering, etc.
- Use appropriate protective equipment to avoid contact with eye, skin, clothing, etc.
- No eating, drinking and smoking when working
- · Wash hands, face, etc. and gargle well after the handling
- · Restrict the access to the handling area
- Store the product in an airtight container
- Use of the product is restricted to research experiments
- · Do not use the product for in vivo experiments

Storage

- Protect from light and store in a clean desiccator at room temperature (about 15 °C to 25 °C).
- Do not store with oxidizers, substances of strong oxidizing property

8. Exposure Controls/Personal

Administrative Level Not established

NMIJ CRM 6013-a 3/6



Occupational exposure limit

ACGIH TLV-TWAJapan Society for Occupational HealthNot establishedNot established

recommended reference value

•OSHA PEL TWA : Not established

Facility engineering control

Ventilation, exhaust : If generating dust/particle, seal the source of release and

install local exhaust ventilation equipment

Install eye wash facility and emergency safety shower and

indicate their location with signage conspicuously

Safety control, gas

detection

Storage precaution

Protective equipment

Respiratory tract

: Dust protective mask

protection

Hands : Protective gloves

Eyes : Protective eyeglasses (safety goggles if needed)

Skin and body : Long-sleeved protective clothing

9. Physical and Chemical Properties

Appearance, etc.
Color
Odor
No data
pH
No data

• Melting point : 284 °C (decomposition point)

Boiling point
Flashing point
Explosive range
Vapor pressure
Relative vapor
No data
No data
No data

density(Air=1)

Specific gravity or bulk
 No data

specific gravity

• Solubility : In 100 g water, 4.2 g (0 °C) dissolved, very low solubility

in ethanol, non-soluble in ethyl ether

• *n*-Octanol/water partition

coefficient (Log Po/w)

No data

· Auto-ignition temperature

: No data

10. Stability and Reactivity

♦ Stability

·Stable under normal condition

♦Reactivity

•May react with strong oxidizer

NMIJ CRM 6013-a 4/6



- ♦ Condition to avoid
 - ·Sunlight, heat
- ♦ Hazardous decomposition products
 - ·Carbon monoxide, nitrogen oxide

11. Toxicological Information

Acute toxicity Intraperitoneal rat LD 50: 6822 mg/kg (RTECS)

12. Ecological Information

Degradability, concentration

·No data available

Bioaccumulation

·No data available

Ecotoxicity

No data available

13. Disposal Considerations

- •Disposal shall be in compliance with Laws and Regulations concerned, and ordinances of the local authorities
- Disposal of an empty container shall be after removing/decontaminating the content completely.

14. Transport Information

UN number : Not applicable
UN : Not applicable

classification

Name : -

Marine : Not applicable

pollutant

Precautions : Transfer with care avoiding direct sunlight, leakage or spill due to fall,

keep away from sources of ignition

15. Regulatory Information

No applicable laws and regulations

This SDS is originally prepared for the use of the material in Japan, thus the stated laws and regulations are stipulated and carried out in Japan. The use of the material in other countries should be referred to and by application of the relevant laws and regulations of the country in which the material will be used.

16.Other Information

Other

NMIJ CRM 6013-a 5/6



The information in this document is not intended to be exhaustive and is based on currently available information and data. The measures given in this document are applicable only to normal handling conditions. When handling this reference material under special conditions etc., it is recommended to take safety measures appropriate to each specific application and context of use. This document is intended to provide information and not intended to guarantee anything in handling this reference material.

NMIJ CRM 6013-a 6/6