

Safety Data Sheet



1. Identification of the Substance/Mixture and the Supplier

Supplier : National Institute of Advanced Industrial Science and Technology

(AIST)

Address : 1-3-1 Kasumigaseki, Chiyoda, Tokyo, Japan

Office in Charge : Reference Materials Office, Center for Quality Management of

Metrology, National Metrology Institute of Japan (NMIJ)

Person in Charge : Person in Charge of Certified Reference Materials

Telephone No. : +81-29-861-4059 Fax No. : +81-29-861-4009

Emergency Contact : Same as above

Prepared on : August 29, 2007 Revised on : August 31, 2022

ID Number : 8001001

Identity of : Certified reference material: NMIJ CRM 8001-a

Substance/Mixture
Recommended Use
of the Chemical and
Restriction on Use

Fine Silicon Carbide Powder for Fine Ceramics (α—phase)
This CRM is intended for use in controlling the precision of analysis or confirmation of the validity of analytical methods or instruments during the analysis of main constituents and trace elements in silicon carbide. Do not use this reference material for

other purposes than testing/research.

This CRM is a reference material (specified in the Japanese

Industrial Standard (JIS) Q 0030).

2. Hazards Identification

GHS Classification: Carcinogenicity : Class 1B

Specific Target Organ : Class 1 (Respiratory system)

Toxicity/Systemic Toxicity

(Single Exposure)

Specific Target Organ : Class 1 (Lung)

Toxicity/Systemic Toxicity

(Repeated Exposure)

GHS Label Element:



Signal Word : Danger

Hazards Statement: May cause cancer

Causes damage to organ (respiratory system)

Causes damage to organ (lung) through prolonged or repeated

exposure

Other Hazards : -

NMIJ CRM 8001-a 1/6



Statement

Precautionary : [Precaution]

Statement Do not eat, drink or smoke when using this product.

Get the instruction manual before use. Do not handle until all safety

precautions have been read and understood. Wash hands thoroughly after handling.

Use personal protective equipment if necessary.

Do not breathe dust, mist, vapors, etc.

Use appropriate personal protective equipment.

[Action]

If inhaled, get medical advice/attention if you feel unwell

If exposed: Get medical advice/attention.

[Storage]

Store this CRM in a clean place at normal room temperature.

[Disposal]

Dispose of this reference material in accordance with applicable

legislation and local government ordinance.

Entrust disposal of this reference material to a professional waste

disposal company licensed by prefectural governor.

The other hazards than the above do not result in classification or are not classifiable.

3. Composition/Information on Ingredients

Substance/Mixture : Mixture

Chemical name : Silicon carbide

Synonym : SiC
Chemical formula : SiC
Molecular weight : 40.10
CAS number : 409-21-2
Content : About 98 %

Reference Number in : Act on the Evaluation of Chemical Substances and Regulation

Gazetted List in Japan of Their Manufacture, etc. : (1)-174

Industrial Safety and Health Act : Published

This CRM contains minor elements shown below;

Al, Fe, Ti, Y, Cr, Cu, La, Mn, Ni, C, O, F, Cl,S.

CAS No. : 409-21-2

Hazadous substance : Silicon carbide

4. First-aid Measures

If in Eyes : Rinse cautiously with clean water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get

medical advice/attention immediately.

NMIJ CRM 8001-a 2/6



If on Skin : Remove/Take off contaminated clothing, etc. Rinse thoroughly

with clean water. Wash polluted clothing, if reuse them.

If Inhaled : Remove victim to fresh air and keep at rest and warm. Get

medical advice/attention immediately.

If Ingested : Rinse mouth thoroughly with water. Drink a lot of water then it

induces vomiting. Immediately call a physician.

Predicted immediate and delayed symptoms

Most important

Protecting Personnel in : Use personal protective equipment.

emergency measures

symptom/effect

5. Fire-fighting Measures

Extinguishing Media : This material is incombustible, use a fire extinguishing agent

suitable for surrounding fire.

Fire-Specific Hazards : Non-flammable in normal condition.

Specific Fire-Fighting

Method

: Eliminate ignition sources at the origin of a fire and put out fire by using extinguishing media. Remove movable containers

promptly to a safe place. In the case of immovable containers,

cool their surroundings with sprayed water.

Protection of Fire-

Fighters

Carry out fire-fighting from the windward in order to avoid breathing hazardous gas. Use personal protective equipment such as fire protection clothing, heat-resistant clothing, protective clothing, breathing apparatus, circulating oxygen

respirator, rubber gloves, and rubber boots.

6. Accidental Release Measures

: Remove ignition source in the vicinity immediately. Prepare fire-Personal Precaution

Personal Protective

Equipment and

Emergency

Procedures

Environmental Precautions

fighting equipment for the possibility of fires. Ventilate the affected areas thoroughly, if it is in an indoor environment, until the clean-up operation is completed.

appropriate personal protective equipment during the operation to avoid skin contact of splash etc. and inhalation of dust and gas.

: Take precautions to prevent spillage from draining into rivers etc.

adversely impact the environment. Make it sure to appropriately treat contaminated wastewater in order to prevent untreated wastewater from being released into the surrounding

environment.

Recovery and

Neutralization

Prevention

Secondary Disaster

: Collect spillage in empty containers by getting it adsorbed to

wiping cloth, rag or earth and sand, etc.

of : Mark the restricted area with rope etc. to keep out unauthorized people. Carry out the clean-up operation from the windward

and make people on the leeward side evacuate.

NMIJ CRM 8001-a 3/6



7. Handling and Storage

Handling

Engineering

Precautions

Local and General

Ventilation
Precautions for Safe

Handling

: Use appropriate personal protective equipment to avoid

inhalation and contact with eyes and skin.

When vapor or mist is generated, seal the source, and provide

local exhaust ventilation or central ventilation.

Avoid rough handling such as turning over, dropping, giving a

shock to or dragging containers.

Prevent spill, overflow and scattering, and avoid vapor

generation.

Keep container tightly closed after using this reference material. Wash hands, face etc. thoroughly and gargle after handling this

reference material.

Restrict drinking, eating and smoking to a designated area. Do not bring gloves and other contaminated personal protective

equipment into staff room.

Make a place handling this reference material a restricted area

to keep out unauthorized people.

Use appropriate personal protective equipment to avoid inhalation and contact with eyes, skin and clothing.

Use local ventilation system in indoor handling areas.

Storage

Appropriate Storage :

Conditions

Safe Container

Packaging Material

Keep out of sunlight, high temperature and humidity. Store in

clean place at normal room temperature.

8. Exposure Controls/Personal Protection

Threshold Limit Value

· Not specified

Permissible Concentration (Silicon carbide)

• ACGIH TLV-TWA : TWA 10 mg/m3(E); total dust

Values recommended by Japan : Not specified

Glass

Society for Occupational Health

• OSHA PEL TWA : 8H TWA 15 mg/m³; total dust

8H TWA 5 mg/m³; respirable fraction

Facility engineering

: Keep container tightly closed and install local ventilation

system when dust is generated.

Ventilation, exhaust Install facilities to rinse eyes and to wash hands and body in

the vicinity of a place handling this reference material and

label them.

· Safety : -

management/gas detector

• Storing precaution : Do not store with oxidizing reagents or oxidizing materials.

NMIJ CRM 8001-a 4/6



Personal Protective equipment

Respiratory protection : Protective dust mask, if necessary

Hands : Protective gloves

Eyes : Eye protector (Goggle type as necessary)

Skin and Body : Protective clothing

Hygiene measure

Treat in accordance with rules on Industrial hygiene and Industrial safety.

9. Physical and Chemical Properties

· Appearance, etc. Powder · Color Brown · Odor No data • pH No data Melting point No data Boiling point No data Flashing point No data Explosive range : No data · Vapor pressure : No data · Relative vapor No data

density(Air=1)

Specific gravity or bulk
 No data

specific gravity

Solubilityn-Octanol/water partitionNo dataNo data

coefficient (Log Po/w)

· Auto-ignition temperature : No data

10. Stability and Reactivity

- ♦ Stability
 - · Stable in normal conditions
- ♦ Stability
 - It may react with strong oxidizing materials.
- ♦ Conditions to Avoid
 - · Sunlight, Heat, contact with oxidizing agent
- ♦ Hazardous Decomposition Products
 - · Carbon monoxides, Silicon dioxides

11. Toxicological Information

Acute Toxicity Intratracheal Rat TDLo: 250 mg/kg (RTECS)

Carcinogenicity A2 (ACGIH (2003))

Specific Target Organ
Toxicity/Systemic
Toxicity (Single
Exposure)
For rats, at a dose within the Category 1 guidance range, pulmonary hemorrhage, interstitial pneumonia, bronchiole collapse and expansion failure of pulmonary alveolus were observed (ACGIH (2003)).

NMIJ CRM 8001-a 5/6



Specific Target Organ Toxicity/Systemic

Toxicity (Repeated Exposure)

For humans, pneumoconiosis, changes in chest X-ray,

pulmonary fibrosis, tubercle and pneumosilicosis were observed

(ACGIH (2003) and HSDB (2005)).

12. Ecological Information

Degradability, concentration

· No-data

Bioaccumulative Potential

· No-data

Ecotoxicity

· No-data

13. Disposal Considerations

- Dispose of this reference material in accordance with applicable legislation and local government ordinance.
- When the above-mentioned treatments are not possible, entrust disposal of residual waste to a professional waste disposal company licensed by prefectural governor.
 - Dispose of containers after thoroughly removing their contents.

14. Transport Information

UN Number : N/A
UN Classification : N/A
Marine pollutant : N/A

Precautions

: Avoid direct sunlight and transfer with care not to spill/leak by

dropping or falling, etc.

15. Regulatory Information

♦ Industrial Safety and Health Act

- Article 57-2 (Enforcement Order: Article 18) Hazardous substance whose name, etc. must be labeled.
- Article 57-2 (Enforcement Order: Article 18-2) Hazardous substance whose name, etc. must be notified No. No.336

16. Other Information

Others

The information in this document is not intended to be exhaustive and is based on currently available information and data. The measures given in this document are applicable only to normal handling conditions. When handling this reference material under special conditions etc., it is recommended to take safety measures appropriate to each specific application and context of use. This document is intended to provide information and not intended to guarantee anything in handling this reference material.

NMIJ CRM 8001-a 6/6